

東莞永力電業有限公司

YUNG LI CO., LTD

**Da Pu Industrial Zone, Gang Zi, Changping Town,
Dong Guan City, Guangdong 523571 China.P.R.C**

TEL:0769-3396797~8

FAX:0769-3396796

E-mail: sales@yung-li.com

Description : YP-61/YC-14

Customer :

Parts No. : C B - 3 - U K

Draw No. :

REVISION RECORD


1		
2		
3		
4		
5		

YUNG LI	
CHECKED	PREPARED BY

CUSTOMER APPROVED

MARKING: YP-61 YUNG-LI $\frac{3}{250}$ ~ BS1363/A (2005) APPR. BY ASTA LIC 839 SASO R304886 (for mains plug)





(N) (D) (S) (FI) (NF) (Y) (KEMA) (OVE) (+S) (CEBEC) (D'E) N18720














NO.	SPECIFICATION	Q' TY	REMARK
1	H05VV-F 3G 0.75mm ² BLACK	1PC	1810±20(YL)
2	YP-61 PVC PLASTIC:60P BLACK	45g/PC	
3	FRAME: BLACK	1PC	
4	FUSE LID	1PC	
5	FRAME LID	1PC	
6	FUSE:3A	1PC	
7	SLEEVE WHITE	1PC	
8	YC-14 H. S. G	1PC	
9	TER:98732PS-0	1PC	
10	TER:98714PS-0	2PCS	
11	YC-14 PVC PLASTIC:50P BLACK	18g/PC	
12	MINI TIE:L=130mm BLACK	1PC	


TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED	DATE	YUNG LI CO., LTD				
	CHECKED	DATE					
	DRAWN	DATE	CUSTOMER				
	TYPE	YP-61/YC-14		P/N			
	P/N			MATERIAL	P. V. C	UNIT	mm
	DRAWING NO.	REV	B	SCALE			

MARKING: YP-61 YUNG-LI $\frac{3}{250} \sim$ BS1363/A    APPR. BY ASTA LIC 839   SASO R304886
 052579-11
 (for mains plug)




TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD			
	CHECKED		DATE					
	DRAWN		DATE					
	TYPE	YP-61(3A)			P/N			
DRAWING NO.	CY-P61B3A	SCALE	1:1		MATERIAL	P. V. C	UNIT	mm












N18720




22±1



12±1

12.5 min

12.5±0.5




61±1

∅11.0

17.0±0.2

YUNG LI
YC-14
2.5A 250V~
N18720





∅2.9^{+0.2}₋₀

∅3.8^{+0.2}₋₀

10±0.15

16±1

TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD			
	CHECKED		DATE					
	DRAWN		DATE		CUSTOMER			
	TYPE	YC-14			P/N			
	P/N				MATERIAL	P. V. C	UNIT	mm
	DRAWING NO.	CY-C14V	REV	B	SCALE	1:1	 	

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-61/YC-14	POWER SUPPLY CORD		1 of 5

1. SCOPE:

This specification applies to POWER SUPPLY CORDS which are in compliance with BS 1363 standards and authorized ASTA

2. Standard of applicable	Type	Max. voltages	Max. current
2.1 plug	YP-61	250V	3A
2.2 connector	YC-14	250V	2.5A
2.3 cord	H05VV-F	3 x 0.75mm²	

- 3. TEST CONDITION:** This test and measurement, unless otherwise specified shall be carried out at a temperature of 15⁰C to 35⁰C, relative humidity of 25% to 85%, and atmospheric pressure of 86kpa to 106kpa.
 However, when any doubt arises on the judgement value under it the test and measurement shall be carried out at a temperature of 20±2⁰C, relative humidity of 60% to 70%, and atmospheric pressure of 86kpa to 106kpa.

4.ELECTRICAL PERFORMANCE

NO.	Item	Test condition	Requirement
4-1	Dielectric Withstanding Voltage test	(a) In this air (20±5 ⁰ C) AC2000V is applied between a conductor and other conductor for 1 second.(Cut off current 0.3 mA). (b) Immersed in water(20±5 ⁰ C) AC 1000V is applied between a conductor and other conductor for 1 minute	No breakage No breakage
4-2	Current and Polarity test	L-L E-E N-N	No problem with Conductor

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-61/YC-14	POWER SUPPLY CORD		2 of 5

4. ELECTRICAL PERFORMANCE

No.	ITEM	Test condition	Requirement
4-3	Insulation resistance test	In the air 20 ⁰ C~60 ⁰ C DC 500V	5MΩ/ km MIN 20 ⁰ C
4-4	Conductor resistance test	In the air 20 ⁰ C~60 ⁰ C	25.1Ω/ km MAX 20 ⁰ C

5. MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
5-1	Tensile strength (initial sample)	insulation	15LBS/2min
5-2	Deformation test	Exposure to 120±3 ⁰ C atmosphere for 0.5H Weight 510g	The thickness of sample shall not decrease more than 50%
5-3	Accelerated Aging test	Exposure to 75±2 ⁰ C, atmosphere for 168 hours under natural ventilation.	No crack mucus mark wire exposure short and opposite polarity.


SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-61/YC-14	POWER SUPPLY CORD		3 of 5

5. MECHANICAL PERFORMANCE (CODE)

NO.	Item	Test condition	Requirement
5-4	Input & output Force to connector	It is tested after taking the action of 10time input & output.	Applied force is 1~6kg



6. MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
6-1	Pulling out force of conductor	<p>The connector between blade terminal and conductor shall not break under a pull force of 20lbs for 1minute</p> <div style="text-align: center;">  <p>The diagram shows a cross-section of a blade terminal connector. A vertical rod is attached to the bottom of the connector, and a downward-pointing arrow indicates a pull force. Below the arrow is a rectangular box containing the text '20LBS'.</p> </div>	Blade can not fall down

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-61/YC-14	POWER SUPPLY CORD		4 of 5


6.MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
6-2	Pulling out force of blades	<p>The attachment plug is supported on a horizontal steel plate with the blades down ward through a hole sufficiently large just to permit the blades to pass through it a weight than exert 89N force for two minutes is to be supported by each blade in succession.</p> <div style="text-align: center;">  </div>	<p>The residual displacement of either blade must not more than 2.4mm after 2 minutes of load.</p>
6-3	Pulling out force of cord	<p>The joint in flexible cord is to be securely support-rated by a rigid flat mounted horizontally, a pull of 133.4N weight for one minute to the flexible cord</p> <div style="text-align: center;">  </div>	<p>No looseness</p>

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-61/YC-14	POWER SUPPLY CORD		5 of 5

6.MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
6-4	Bending force	<p>The power supply cord division is fixing and load of 1000g is added to a tip of a cable. It is made to do 10000times bending on right and left each 45° (bending speed 60 times/minute)</p> <div style="text-align: center;">  <p>The diagram illustrates the test setup for bending force. A power supply cord, labeled YC-14, is fixed at the top. A 1000g weight is suspended from the bottom tip of the cord. The cord is bent at a 45-degree angle to the vertical on both sides. Dashed lines indicate the path of the cord during bending.</p> </div>	<p>Breaking rate is under 30%</p>

YUNG LI CO., LTD

SPECIFICATION

Yung Li		PVC FLEXIBLE CORDS	Document No
8/10/2004			
Edition	Size	H05VV-F 3G 0.75mm²	Page
A			1/2

1. Standard: IEC 227

2. Construction & Dimension

	Item	Specification
Conductor	Size	3G 0.75mm ²
	Material	Annealed Bare Copper
	Construction	24/ § 0.20+0/-0.005
Insulation	Material	PVC
	Minimum Average Thickness	0.60mm
	Minimum Thickness at any point	0.44mm
	Diameter	2.35 ± 0.10
	Identification	Blue,Brown, Yellow/Green
Core Assembly	Core Twist	3-Core
	Filler	NA
	Assembly Pair	NA
Taping	Mylar Foil	NA
Shielded	A1-Mylar Foil	NA
Drain	Material	NA
	Construction	NA
Jacket	Material	NA
	Minimum Average Thickness	0.8mm
	Minimum Thickness at any point	0.58mm
	Overall Diameter(Approx)	6.7 ± 0.15
	Color	Any Color

Marking:

YUNG LI H05VV-F 3G 0.75mm² <VDE> NF-USE 1347 (NF) KEMA-KEUR △CEBEC <OVE> (D) (FI) (N)


(S) (S) IEMMEQU Q04083 (CCC) A004049 227 IEC 53 RVV 300/500V (K) KTL SU01027-4002

YUNG LI CO., LTD

SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
8/10/2004			
Edition		Size	H05VV-F 3G 0.75mm²
A	2/2		

4. Electrical & Physical Properties			
	Item	Specification	
	Rating Voltage	70°C 300/500V	
	Insulation Resistance	0.011MΩ/Km 70°C Min	
	Dielectric Strength	AC 2.0 KV / 5 min No Break	
	Spark Test	6KV	
Insulation	Unaged	Tensile Strength	1.25Mpa Min 1.28kgf/mm ²
		Elongation	150% Min
	Aged	Tensile Strength	Min 75% (80°C x 168hrs)
		Elongation	Min 65% (80°C x 168hrs)
	Loss of mass Test		2.0mg/cm ² (max)
Jacket	Unaged	Tensile Strength	1.25Mpa Min(1.02kgf/mm ²)
		Elongation	150% Min
	Aged	Tensile Strength	Min 75% (80°C x 168hrs)
		Elongation	Min 65% (80°C x 168hrs)
	Loss of mass Test		2.0mg/cm ² (max)
	Deformation Test	150mm, 70±2°C X 1hr ≤ 50%	
	Cold Bend Test	-15°C x 4hr No Crack	
	Heat Shock Test	150±2°C x 1hr No Crack	



Licence No: 839



PRODUCT APPROVAL LICENCE

This is to certify that

Yung-Li Company Limited

of

1F, No. 10, Lane 235, Pao Chiang Road, Hsin Tien 231, Taipei, Taiwan, R.O.C.

is authorised to use the APPROVAL MARK shown above, on the following products

Product	Fused Plug
Model or Type No.	YP-61
Principal Characteristics	Colour(s): Black, White & Grey 250 Volts a.c. 50 Hz 13 Amperes Non-rewirable Rough Use (BS1363/A) Fitted with nickel plated solid brass pins Of solid moulded-on construction
Approval Standard	BS 1363: Part 1: 1995 incorporating Amendment Nos. 1 & 2
Factory Reference	LQ-494

This Licence is issued in accordance with the Certification Regulations governing its use and in reliance on the undertaking given by the Licensee and only extends to the use in respect of the products produced to an acceptable degree of compliance with the Approval Standard/s. This Licence is not transferable and remains the property of ASTA BEAB Certification Services.

This Approval will be reviewed at the review date, or earlier if preceded by the withdrawal of the Standard on which the Approval of the product was based. Limitations: Only to be fitted with the cords detailed in the Endorsement(s)	Licence No. 839
	Issue No. 1
	Issue Date 1st October 2006
	Review Date 30th June 2010



010

ASTA BEAB Certification Services is accredited by the United Kingdom Accreditation Service in respect to its certification activities as detailed within Accredited Scope No.10. UKAS is a member of the International Accreditation Forum, Inc. (IAF).



Authorising Engineer

Authorising Director

Date

R. Hayward
C. Mink-Watts
 19th September 2006



ASTA BEAB Certification Services
 Hilton House, Corporation Street, Rugby
 Warwickshire, CV21 2DN UK
 Tel: +44 (0)1483 455466
 Fax: +44 (0)1483 455477
 Email: certificates@astabeab.com
 Web: www.astabeab.com

ENDORSEMENT NO: 1
PRODUCT TYPE(S): APPLIANCE CONNECTOR
DESIGNATION: YP-61

LICENCE NO: 839

IS ENDORSED AS FOLLOWS

COMPLIANCE CERTIFICATE NO(S): 16271

APPROVED SITE (S)

Components & Assembly – Yung Li Company Limited
Da Pu Industrial Zone
Chang Ping Town
Dongguan City
Guangdong Province
China

SURVEILLANCE

Factory – three times per annum
Market – in accordance with ASTA Rules to correspond with the factory surveillance
Reinforced – introduced should defects be identified

MARKETING

1. All ASTA Licenced products shall bear the ASTA Mark in a form agreed by ASTA BEAB.
2. ASTA Marked products may be marketed or sold under any brand or Trade Name provided that each product carries the manufacturer's name or Trade Mark or some discrete code advised to ASTA BEAB prior to introduction.
3. The ASTA Marked products shall be marked or bear a label stating "APPROVED BY ASTA LIC 839" in a form agreed by ASTA.

THIS LICENCE COMPRISES THE FRONT SHEET AND 2 ENDORSEMENTS

Issue Date: 1st October 2006
Review Date: 30th June 2010

ENDORSEMENT NO: 2
PRODUCT TYPE(S): APPLIANCE CONNECTOR
DESIGNATION: YP-61

LICENCE NO: 839

IS ENDORSED AS FOLLOWS

Yung Li overmoulded plugs manufactured with Yung Li inserts

APPROVED FLEXIBLE CORDS

Maximum Rating	Cores		Code	Cable	ASTA	Remarks
Amperes	No	CSA mm ²		Manufacturer	Certificate	
10	2	0.75	H03VVH2-F	Yung-Li	16271	
10	2	0.75	H05VVH2-F	Yung-Li	16271	
10	2	0.75	H05VV-F	Yung-Li	16271	
10	2	1.00	H05VV-F	Yung-Li	16271	
10	3	0.75	H05VV-F	Yung-Li	16271	
10	3	1.00	H05VV-F	Yung-Li	16271	
13	3	1.50	H05VV-F	Yung-Li	16271	

THIS LICENCE COMPRISES THE FRONT SHEET AND 2 ENDORSEMENTS

Issue Date: 1st October 2006
Review Date: 30th June 2010



香港安全認證中心

The Hong Kong Safety Institute Ltd

HONG KONG SAFETY MARK LICENSE ENDORSEMENT

License Number : L00244A


Date of Issue : 2005-11-11

Issued To : Yung Li Co. Ltd.
Da Pu Industrial Zone,
GangZi ChangPing Town, DongGuan City,
Guangdong, China 523571

This is to certify that the products listed below are appended to the License and are eligible to bear the Hong Kong Safety Mark.

Issued By : Richard Fung
Managing Director

For and on behalf of
The Hong Kong Safety Institute



Product Category

Wiring Accessories

Product Description

Non-rewirable fused plugs molded on power cord with/without connector

Type/Models

YP-61 without connector	YP-61 with connector YC-13
YP-61 with connector YC-12	YP-61 with connector YC-14

Applicable Standard(s) / Requirements

BS1363 Part 1 - 13A Plugs, socket-outlets, adaptors and connection units. Part 1
Amendment 1 Specification for rewirable and non-rewirable 13A fused plugs
IEC60320-1 - Appliance couplers for household and similar general purposes - Part 1
General requirement.

The use of this Endorsement is governed by the Hong Kong Safety Mark Regulations and any other requirement and Regulations, as amended from time to time.

This Endorsement is the property of The Hong Kong Safety Institute Limited and must be returned upon request.

Original Certification :2005-04-29

Expiry : 2008-06-30

Cat. [III]

THE SINGAPORE CONSUMER PROTECTION
(SAFETY REQUIREMENTS) REGISTRATION SCHEME
CERTIFICATE OF CONFORMITY(COC)



TO: SCT (RS Code)
Mr Lim Fook Kay
SingCert Pte Ltd
Blk 214 Serangoon Avenue 4 #01-88
Singapore 550214

Date of Certification : 02 December 2005

Date of Expiry : 01 December 2008

Certificate Number : 052579-11

Dear Sir/Madam,

We certify that the following controlled goods complied with the Mandatory Requirements of the Singapore Consumer Protection (Safety Requirements) Registration Scheme:

Description of controlled goods: Non-rewirable 3-pin mains plug with flexible cord

Trade Name: YUNG LI

Model Number: YP-61 (Black , White)

Country where controlled goods are likely to be manufactured: China

Test report number: 55S052586/MLM/PKS

Testing laboratory: PSB Corporation Pte Ltd

Tested according to: SS 145:Part 1:1997



Christopher Hee

PSB Corporation

Important Notice:

No controlled goods can be supplied in Singapore unless they are registered with the Safety Authority. Please access www.safety.org.sg for registration procedure.

KINGDOM OF SAUDI ARABIA

INTERNATIONAL CONFORMITY
CERTIFICATION PROGRAM

Statement for Registration

ICCP ref no. R304886

Subscription Date: 18 November 2006

NEW


Issued to: Yung Li Co., Ltd.
Da Pu Industrial Zone, Gang Zi Chang Ping Town
Dongguan 523571
Guangdong
China

Product: II-35 Mains Plugs, Socket Outlets and Adapters

Brand Name: YUNG-LI


Model/Type: See appendix (1 page/s)

Applicable standards/references: SASO 2203:2003



Issued by:

Regional Licensing Centre
Asia Pacific
18 November 2005



Wilbur Ng
Regional Licensing Manager

Appendix to Statement for Registration

ICCP Ref. No. : R304886
Subscription Date: 18 November 2006
Issued: 18 November 2005

Product: II-35 Mains Plugs, Socket Outlets and Adapters

Model/Type	Information	Review Date if Verified
YP-61 250V 13A	PLUG	16/11/08

VDE Prüf- und Zertifizierungsinstitut

Zeichengenehmigung

Ausweis-Nr. /
Licence No.

131430

Blatt /
page

2

Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Licence holder

Yung Li Co. Ltd., 1F. No.10 Lane 235 Pao-Chiao Rd.
HSIN TIEN 231, TAIPEI COUNTY, Taiwan

德

德

Aktenzeichen / File ref.

16098-1550-0006 / 32CXJ F33 / E

Datum / Date

2000-11-07

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 131430.
This supplement is only valid in conjunction with page 1 of the Licence No. 131430.

Jahresgebühren-Einheiten /
Annual fee units

Gerätesteckdose, nichtwiederanschließbar
Connector, non-rewirable

3,25

Typ(en) / Type(s):

YC-14

0,47

Bemessungsspannung
Rated voltage

AC 250 V

Bemessungsstrom
Rated current

2,5 A

Polzahl
Number of poles

zweipolig mit Schutzkontakt
2-pole with earthing contact

Bauart
Type of construction

Normblatt C5
standard sheet C5

Zuleitung(en)
Cord(s)

H05VV-F 3G 0,75 mm²

0,93

H05VV-F 3G 1,0 mm²

0,93

Leitungshersteller
Cord manufacturer

I-Sheng

Ausführung(en)
Construction(s)

zentrale Leitungseinführung
straight cable entry

Anmerkung
Remark

Gerätesteckdosen 2,5 A mit Schutzkontakt müssen Teil einer Gerätaanschlußleitung oder einer Weiterverbindungs-Geräteanschlußleitung sein.
Connectors 2,5 A with earthing contact shall be part of a cord set or interconnection cord set

Weitere Angaben
Further information

siehe Anlage Nr. 1
see Appendix No. 1

Fortsetzung siehe Blatt 3 /
continued on page 3

Certificate

System no. 5, type testing with assurance of conformity by production surveillance

CERTIFEL "Safety tested and supervised"

Certificate ref. no. **CH-00-IK-0478.ZA5.BU1**

Licence ref. no. 4952

This certificate grants the right to use the mark of conformity



page 1 of 1

Product	Connector
Licensee/Licence holder	Yung-Li Co., Ltd., No. 10, Lane 235 Poa-Chiao Road, Hsien-Tien City, TW-Taipai Hsien, Taiwan, R.O.C.
Manufacturer	Yung-Li Co., Ltd., Da Pu Industrial Zone, Chang Ping Town, Dong Guan City, Guang Dong Province, P.R. China
Manufactured at/Factory	Yung-Li Co., Ltd., Da Pu Industrial Zone, Chang Ping Town, Dong Guan City, Guang Dong Province, P.R. China
Trade-mark	YUNG-LI
Type/Model	YC-14
Ratings, characteristics	250V~, 2.5A, L+N+PE Standard Sheet C5
Additional information	Tested with moulded cables: H05VV-F 3G 0.75/1.00mm ² Non rewirable
Standards safety	IEC 60320-1:01(ed.2), EN 60320-1:01
Standards EMC	---
Other standards	---

The product was found to be in conformity with aforementioned standards, as shown

in reports ref. no. 00-IK-0478.02

Production surveillance according to European, CENELEC harmonised procedure.

This certificate has to be reissued every three years.

Certificate superseded: CH-00-IK-0478.ZA5.AU1 dated 2002-07-25

Electrosuisse
National Certification Body

Hans Roschmann

Hans Roschmann
Product Certification



SCES 035
(EN 45011)



SIS 026
(EN 45004)

Fehraltorf, 2005-11-03



此
利
時

LICENCE

No. 12697 replaces No.11950

Issued to:
Applicant:
Yung Li Co. Ltd.
1F, No.10, Lane 235, Pao-Chiang Road
HSIN TIAN, TAIPEI COUNTY
Taiwan

Licensee:
Yung Li Co. Ltd.
1F, No.10, Lane 235, Pao-Chiang Road
HSIN TIAN, TAIPEI COUNTY
Taiwan

Product : connectors (2-pole) for class I appliances
Trade name(s) : YUNG-LI
Type(s)/model(s) : YC-14

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location according to CCA Group Operational Document CIG 021
- a certification agreement with the number 1031

CEBEC hereby grants the right to use the CEBEC certification mark



The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 01/07/2002


f.o. ir. R. Maquestiau,
Managing Director

Only integral publication of this certificate, including the annex, is allowed

CEBEC serl/cvba

Avenue F. Van Kalkenlaan, 9A/b.1
B-1070 Bruxelles/Brussel
T: +32 [0]2 556 00 20
F: +32 [0]2 556 00 36

Accredited by





Certificate no. 309995-01

DEMKO CERTIFICATE

Product: Non-rewirable Connector, for Class I appliances
Manufacturer: Yung Li Co. Ltd.,
1F, No. 10, Lane 235, Pau-Chiao Rd., Hsin-Tien 231, Taipei, Taiwan
Production site: Yung Li Co. Ltd.,
1F, No. 10, Lane 235, Pau-Chiao Rd., Hsin-Tien 231, Taipei, Taiwan
Certified by request of: Yung Li Co. Ltd.,
1F, No. 10, Lane 235, Pau-Chiao Rd., Hsin-Tien 231, Taipei, Taiwan
Trademark: YUNG-LI
Model/Type ref.: YC-14
Rated current or power: 2.5 A
Rated voltage: 250 V AC
Insulation Class: I
Degree of protection: -
Additional information: Standard Sheet C5, thermoplastic material, all colours,
with cord H05VV-F 3 G 0.75-1 mm², the connector is part of a cord set

A sample of the product has been tested and found in conformity with EN 60320-1:96 + A1:96 + A2:98.

Furthermore, the product complies with the national deviations in Danmark.

The certificate has been issued on the basis of Nordic certification Service, certificate No. P00101382, issued by NEMKO, dated 2000-07-19.

Date of expiry: 2010-08-01.

DEMKO A/S is a body notified to the Member States and Commission of the European Communities according to the provisions of Article 8 of the Low Voltage Directive.

The Manufacturer complies with the Production Surveillance Requirements.

Products included in this certificate are allowed to carry the registered approval marks of DEMKO A/S, ® or for cables <DEMKO>. The name of DEMKO can be used in the marketing of the products as well.

This certificate is only valid for products, which are identical to the certified product, and manufactured at the above mentioned production site(s). DEMKO A/S has to be informed in writing about any changes, in accordance with the "DEMKO A/S Standard Terms and Conditions" for DEMKO services.

Herlev, 2000.08.29




Steen Lumby
Certification Manager

Notified body:

DEMKO A/S • PO Box 514 • Lyskaer 8 • DK-2730 Herlev • Tel: +45 44856565 • Fax: +45 44856500

DEMKO

 A Subsidiary of
Underwriters
Laboratories Inc. ®



2/28

±

Certificate

Product Safety

-with the right to S marking

Reference No./pos 0102173/01

Connector

Type designation YC-14

*Certificate holder/
manufacturer* YUNG LI CO., LTD.
1F, No. 10, Lane 235
Pau-Chiang RD
Hsin-Tien, Taipei
TAIWAN

Technical data Rated Voltage (V): 250
Rated Current (A): 2.5
EN 60320/C5. With cord H05VV-F 3G0,75-1,0 mm².

*The product complies with
the standard(s)* EN 60320-1:1996 + A1:1996 + A2:1998


Date of expiry 31 December 2010

LVD Information The product satisfies the provisions for CE marking according to the Low Voltage Directive 73/23/EEC and 93/68/EEC.

Certification body: SEMKO AB, Product Certification

Place: Kista - Stockholm

Signed:


Pär Zetterberg

Date: 12 February 2001



SEMKO



Intertek Testing Services
ETL SEMKO

Bo F

Allegato - Certificato di approvazione
Annex - Approval certificate

Emesso il / Issued on 2001-02-22
Data di aggiornamento / Updated on 2002-09-17
Sostituisce / Replaces 2001-02-22

Prodotto | Product

Prese di connettore indissolubilmente collegate al cavo
Non-rewirable connectors

意
大
利

Concessionario | Licence Holder

YUNG LI CO., LTD.
1F, N.10, LANE 235, PAO CHIANG RD., HSIN-TIEN 231
TAIPEI
TW - Taiwan

Marchio | Mark



IMQ

Costruito a | Manufactured at

PL.B000M3 C01175219
96007414 CLYUNG.C02LCYUNG+1

DONG GUAN CITY, GUANG DONG PROV.
TAIPEI HSIEN

China
Taiwan

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

Norme

EN 60320-1:1996 + A1:1996 + A2:1998
Prodotti conformi ai requisiti essenziali della Direttiva B.T. 73/23/CEE e successive modifiche.

Standards

EN 60320-1:1996 + A1:1996 + A2:1998
Products meeting the essential requirements of L.V.D. 73/23/EEC and further amendments.

Rapporti | Test Reports

02AC00550

Caratteristiche tecniche | Technical characteristics

Designazione | Type designation **2P+T foglio C5 / 2P+E S.S. C5**
Tensione nominale | Rated voltage **250V**
Corrente nominale | Rated current **2,5A**
Tipo di applicazione | Type of application **fredda / for cold conditions**
Tipo di morsetti | Type of terminals **MA = morsetti aggraffati / MA = crimped connection**
Materiale della custodia | Material of the cover **termoplastico / thermoplastic**
Uscita cavo | Cable exit **assiale / straight**

Articoli (con dettagli) | Articles (with details)

AR.B0029V

Marca | Trade mark **YUNG LI**
Rif. di tipo | Type ref. **YC-14**
Tipo di cavo | Type of cable **H05VV-F**
Sezione nominale | Section areas **3G0,75mm²**

AR.B0029Z

Marca | Trade mark **YUNG LI**
Rif. di tipo | Type ref. **YC-14**
Tipo di cavo | Type of cable **H05VV-F**
Sezione nominale | Section areas **3G1mm²**

Ulteriori informazioni | Additional Information



Testing & Certification
Kahlenberger Str. 2A
1190 Wien, Austria
Telefon: +43 1 370 58 06
Telefax: +43 1 370 58 06-199



ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: 21721-003-00

Valid from: 2004 10 17
until: 2006 10 17

The Austrian Electrotechnical Association (ÖVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **Yung Li Co. Ltd.**
Da Pu Industrial Zone, Chang Ping Town
523571 Dong Guan City, Guang Dong Province
China

Product: **Connector for Class I appliances with cord**

Basis for this given right is the conformity of the products with the requirements of the technical standards listed in this certificate as shown in the test report
Ref.-No. 1205-817/00.

This certificate establishes the conformity of the tested specimen and of all products manufactured strictly identical to the submitted one.

ÖSTERREICHISCHER VERBAND FÜR ELEKTROTECHNIK
Head of Testing & Certification



Vienna, 2004 10 21

b. chenk Dipl.-Ing. W. Martin

ÖVE - Testing & Certification

Accredited by the Austrian Ministry of Economics and Labour as Certification Body and Inspection Body for products, process and system evaluation in the whole field of electrotechnology



Manufacturer:

Yung Li Co. Ltd.
Da Pu Industrial Zone, Chang Ping Town
523571 Dong Guan City, Guang Dong Province
China

Factory location(s):

Yung Li Co. Ltd.
Da Pu Industrial Zone, Chang Ping Town
523571 Dong Guan City, Guang Dong Province
China

Tested and certified according to:

ÖVE/ÖNORM EN 60320-1:2002-09-01

This certificate is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the listed standards as defined by the EC Low-Voltage Directive 73/23/EEC including amendments.

Product: Connector for Class I appliances with cord

Type designation:
Rating:

Trademark:

YC-14
Rated voltage: AC 250 V
Rated current: 2,5 A
H05VV-F 3 G 0,75

YUNG LI

YC-14
Rated voltage: AC 250 V
Rated current: 2,5 A
H05VV-F 3 G 1

YUNG LI

Österreichischer Verband für Elektrotechnik
Sektion
Prüfwesen & Zertifizierung



ÖVE - Testing & Certification

Accredited by the Austrian Ministry of Economics and Labour as Certification Body and Inspection Body for products, process and system evaluation in the whole field of electrotechnology



CERTIFICATE

KEMA No.: 2021704.04

Issued to:

Applicant:

Yung Li Co. Ltd.

**1F, No.10, Lane 235, Pao-Chiang Road,
HSIN-TIEN, TAIPEI COUNTY, TAIWAN**

Manufacturer/Licensee:

Yung Li Co. Ltd.

**1F, No.10, Lane 235, Pao-Chiang Road,
HSIN-TIEN, TAIPEI COUNTY, TAIWAN**

Product : appliance connectors (2-pole)

Trade name : YUNG-LI

Type/model : YC-14

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

KEMA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 60320-1:1996+A1:96+A2:98
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 958361

KEMA hereby grants the right to use the KEMA-KEUR certification mark



The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on: September 9, 2002

H.R.M. Barends
Certification Manager

© Integral publication of this certificate is allowed



No. P00101382

Order No. 200027122

Applicant Yung Li Co., Ltd.
1F., No.10, Lane 235, Pao-Chiao Road
Hsin-Tien, Taipei
TAIWAN, R.O.C. 押

Manufacturer Yung Li Co., Ltd.
1F., No.10, Lane 235, Pao-Chiao Road
Hsin-Tien, Taipei
TAIWAN, R.O.C. 威

Factory 1 Yung Li Co., Ltd.
1F., No.10, Lane 235, Pao-Chiao Road
Hsin-Tien, Taipei
TAIWAN, R.O.C.

Factory 2 Yung Li Co., Ltd., China
Da Pu Industrial Zone, Chang Ping Town
Dongguan City, Guang Dong Province, 511736
P.R. CHINA

Group 03 63000 Non-rewirable connector for Class I equipment. Standard Sheet C5

Model/type YC-14

Data 2,5A 250V AC

Other specification Thermoplastic, with H05VV-F 3G0,75-1,0mm², all colours.

The above product is certified according to the following standard Safety std.: NEK-EN 60320-1:96 + A1:96 + A2:98

Validity This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation.
New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.

Additional information Connectors without earthing contact and 2,5A connectors with earthing contact shall be part of a cord set or interconnection cord set.

Date of issue 04 January 2001

signature

Ragnar Køltzow

Head of section

signature

Asgeir Holt

Our Ref. 215782-1

CERTIFICATE

FI 16243



共
三
三

Product Connector , non-rewirable

Type YC-14, with cord H05VV-F 3G0,75-1

**Certificate Holder/
Manufacturer** Yung Li Co., Ltd
1F, No. 10, Lane 235, Pao Chiang Road
Hsin-Tien, TAIPEI
TAIWAN, R.O.C.

Technical information 2,5 A, 250 V~, IP 20

Other information Standard sheet C5, thermoplastic all colours


**The product is certified
according to the following
standard(s)** EN 60320-1:1996 + A1:1996 + A2:1998

Validity This certificate is valid up to 31 December 2010 and it includes the right to use the FI mark under the condition that the conditions of the framework contract for testing and certification activities are fulfilled and that changes (if any) will be reported to SGS Fimko before they have been carried out.

Date of issue 15 January 2001

SGS Fimko Ltd

Signature


Timo Peltonen
Team Leader

This certificate has 1 appendix

FIMKO 

FIMKO OY, Särkiniementie 3, FIN-00210 Helsinki, Finland
Puhelin (09) 696 361, telekopio (09) 692 5474, telephone int. +358 9 696 361, telefax int. +358 9 692 5474

法
(2)



LCIE

Accréditation
N° 5-0014



LICENCE



LCIE N° 43148020

Délivrée à:
Delivered to:

YUNG LI CO, Ltd
1F., No 10, Lane 235 - Pao-Chiang Road - Hsin-Tien - TAIPEI - TAIWAN

Site de fabrication :
Factory :

YUNG LI CO, Ltd. (1313AP)
1F., N°10, Lane 235, Pao-Chiang Road - Hsin-Tien - TAIPEI - TAIWAN

YUNG LI CO, Ltd., China (1532AP)
Da Pu Industrial Zone, Chang Ping Town - Dong Guan City - GUAN DONG PROVINCE - CHINE

Produit:
Product:

Connecteurs pour usages domestiques et usages généraux analogues
Appliance couplers for household and similar general purposes

Marque commerciale (s'il y a lieu):
Trade mark (if any):

YUNG-LI

Modèle, type, référence:
Model, type, reference:

YC-14

Caractéristiques nominales et principales:
Rating and principal characteristics:

2,5 A - 250 V AC - thermoplastique / *Thermoplastic* - équipé du câble / *provided with cable H05VV-F 3G0,75 and 1 mm² toutes couleurs / all colours*

Informations complémentaires:
Additional informations:

pour conditions froides / *for cold conditions*

Le produit est conforme à:
The product is in conformity with:

EN 60320-1:1994+A1:95+A2:96

Documents pris en compte:
Relevant documents:

NO 9639 (TR 200027122) - NO 9639 A2 (TR 200027122) - procédure OC

Annule et remplace (s'il y a lieu):
Cancel and replaces (if necessary):

Licence n° 25296010 du 05/10/2000


Cette licence autorise l'usage de la marque NF pour le produit dans les conditions du règlement de la marque NF, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

This licence permits the use of the Mark NF for the product in compliance with the Regulation of the NF Mark, as far as the regular checking and third party verifications of the production are satisfactory.

Fontenay-aux-Roses, 18 Octobre 2002

Par mandatement de AFNOR Certification et pour le LCIE
By mandate from AFNOR Certification and for LCIE

Date limite de validité : Néant
Limit expired date : Nil



Michel BRENNER
Responsable Certification
Tél : +33 1 40 95 60 60
Fax : +33 1 40 95 86 56
contact@lcie.fr
www.lcie.fr

LCIE
Laboratoire Central
des Industries Electriques
Une société de Bureau Veritas
33, av du Général Leclerc
BP 8
92266 Fontenay-aux-Roses cedex
France

DNF-05/2002

1/1


ZEICHENGENEHMIGUNG MARKS LICENCE

Yung-Li Co. Ltd.
Da Pu Industrial Zone
Chang Ping Town
523571 Dong Guan City
Guangdong
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Flexible Leitung
Flexible cable (cord)


die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN VDE 0281-5 (VDE 0281 Teil 5):2002-09; HD 21.5 S3:1994 + A1:1999 + A2:2001

VDE Prüf- und Zertifizierungsinstitut
VDE Testing and Certification Institute
Zertifizierungsstelle
Certification



Aktenzeichen: 1609800-5140-0005 / 39002

File ref.:

Ausweis-Nr. 40010145

Blatt 1

Licence No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2004-04-27

VDE Prüf- und Zertifizierungsinstitut Zeichengenehmigung

Ausweis-Nr. / Blatt /
Licence No. / page
40010145 2

Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Licence holder
Yung-Li Co. Ltd., Da Pu Industrial Zone, Chang Ping Town, 523571 Dong Guan City, Guangdong,
CHINA

Aktenzeichen / File ref.
1609800-5140-0005 / 45710 / FG42 / STR

letzte Änderung / updated Datum / Date
2004-06-29 2004-04-27

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40010145.
This supplement is only valid in conjunction with page 1 of the Licence No. 40010145.

Flexible Leitung Flexible cable (cord)

Typ(en) / Type(s):

H03VV-F 2...3 x 0,5...0,75 mm² +
H03VVH2-F 2 x 0,5...0,75 mm² +
H05VV-F 2...3 x 0,75...2,5 mm² +
H05VVH2-F 2 x 0,75...1,0 mm² +

Firmenzeichen YUNG LI
Trademark

Dieser Zeichengenehmigungs-Ausweis bildet die Grundlage für die EG-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten und bescheinigt die Konformität mit den genannten Normen im Sinne der EG-Niederspannungsrichtlinie 73/23/EWG mit ihren Änderungen.

This Marks Licence is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the said standards as defined by the EC Low-Voltage Directive 73/23/EEC including amendments.

VDE Prüf- und Zertifizierungsinstitut
VDE Testing and Certification Institute
Fachgebiet FG42
Section FG42

[Handwritten signatures]

EC Declaration of Conformity

Issuer's name and address:

Yung-Li Co. Ltd.
Da Pu Industrial Zone
Chang Ping Town
523571 Dong Guan City
Guangdong
CHINA

Product:

Flexible cable (cord)

Type designation:

H03VV-F 2...3 x 0,5...0,75 mm²; H05VV-F 2...3 x 0,75...2,5 mm²; H05VVH2-F 2 x 0,75...1,0 mm²;
H03VVH2-F 2 x 0,5...0,75 mm²

The designated product is in conformity with the European Directive:

73/23/EEC
including amendments

"Council Directive of 19 February 1973 on the harmonization of the laws of the Member States relating to electrical equipment designed for use within certain voltage limits".

Full compliance with the standards listed below proves the conformity of the designated product with the provisions of the above-mentioned EC Directive:

DIN VDE 0281-5 (VDE 0281 Teil 5):2002-09; HD 21.5 63:1994 + A1:1999 + A2:2001

The VDE Testing and Certification Institute (EU Identification No. 0366), Merianstr. 28, D-63069 Offenbach, has tested and certified the product granting the VDE Licence for the mark(s) as displayed.

<VDE> oder/lor <D&W> oder/lor 

Licence No. 40010145
File Reference 1609800-5140-0005 / 45710 FG42 / STR

Place, Date

Legally binding signatures of the issuer

