

Kitemark™ Certificate

This is to certify that:

Ningbo Xuanshi Electronics Co., Ltd.
Simen Town
Yuyao
Zhejiang
315472
China

Holds Certificate Number:

KM 548251

In respect of:

**BS 1363 Parts 1-5
Plugs, Socket-outlets, Adaptors and Fused Connection units.**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2010-10-25

Effective Date: 2023-03-28

Latest Issue: 2023-03-28

Expiry Date: 2024-08-12

Page: 1 of 6



Kitemark™ Certificate

No. KM 548251

The affixing of the Kitemark and the words 'Approved by BSI Licp No KM 548251' signify that the 13A plugs detailed on this Kitemark Licence are approved by BSI within the meaning of the Statutory Instrument No. 1768 1994 being 'The Plug and Socket etc. (Safety) Regulations 1994'.

Approval remains in force concurrent with the expiration date of this Kitemark licence.

It is a condition of approval that the Licensee maintains strict compliance with the requirements of both the Plug and Socket etc. (Safety) Regulations 1994 and the Kitemark Licence Conditions of Contract

-----//-----

Group 1a - Non-rewireable plugs to BS 1363-1:2016 + A1:2018			
Type	Rating	Colour	Reference Report
JL-49	250 V (Rough Use - BS 1363/A)	Any colour	7340091/2, 7532859, 7701609, 7769663, 8071533, 3248331 & GJW2022-2545BSI (3539759).

Cord fitted: the following cord is satisfactory for incorporation with the variants of Group 1a and is subject to the continuing validity of its approval.

Standard	Size (mm ²)	Code	Manufacturer	Approval	Rating
EN 50525-2-21	3 x 1.5	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	13 A
EN 50525-2-21	3 x 1.5	H07RN-F	Xuanshi	VDE 40017772, TUV 50486124	13 A
EN 50525-2-11	3 x 1.5	H05VV-F	Xuanshi	VDE 40011761	13 A
EN 50525-2-21	3 x 1	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-21	3 x 1	H07RN-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-11	3 x 1	H05VV-F	Xuanshi	VDE 40011761	10 A
EN 50525-2-21	3 x 1	H05RN-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-11	3 x 0.75	H03VV-F	Xuanshi	VDE 40011761	6 A
EN 50525-2-21	3 x 0.75	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	6 A
EN 50525-2-11	3 x 0.75	H05VV-F	Xuanshi	VDE 40011761	6 A/10 A <small>See note</small>
EN 50525-2-21	3 x 0.75	H05RN-F	Xuanshi	VDE 40017772, TUV 50486124	6 A

First Issued: 2010-10-25

Latest Issue: 2023-03-28

Effective Date: 2023-03-28

Expiry Date: 2024-08-12

Page: 2 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

Kitemark™ Certificate

No. KM 548251

EN 50525-2-11	2 x 0.75	H03VVH2-F	Xuanshi	VDE 40011761	6 A
Group 1a - Non-rewireable plugs (continued)					

Cord fitted: the following cord is satisfactory for incorporation with the variants of Group 1a and is subject to the continuing validity of its approval.

Standard	Size (mm ²)	Code	Manufacturer	Approval	Rating
EN 50525-2-11	2 x 0.75	H05VVH2-F	Xuanshi	VDE 40011761	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	Xuanshi	VDE 40011761	6 A / 10 A ^{See note 1}
EN 50525-2-11	2 x 0.75	H03VV-F	Xuanshi	VDE 40011761	6 A
EN 50525-2-11	2 x 0.5	H03VVH2-F	Xuanshi	VDE 40011761	03 A
EN 50525-2-21	2 x 1	H07RN-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-11	2 x 1	H05VV-F	Xuanshi	VDE 40011761	10 A
EN 50525-2-21	2 x 1	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-21	2 x 1	H05RN-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-21	2 x 0.75	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	6 A
EN 50525-2-21	2 x 0.75	H05RN-F	Xuanshi	VDE 40017772, TUV 50486124	6 A
EN 50525-2-11	3 x 1.25	H05VV-F	Xuanshi	VDE 40011761	13 A
EN 50525-2-11	2 x 1.25	H05VV-F	Xuanshi	VDE 40011761	13 A

Note 1: indicated 0.75 mm² cables may be rated 10 A for lengths of 2 metres or less.

First Issued: 2010-10-25

Latest Issue: 2023-03-28

Effective Date: 2023-03-28

Expiry Date: 2024-08-12

Page: 3 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 548251

Group 1b - Non-rewireable ISOD plugs to BS 1363-1:2016 + A1:2018			
Type	Rating	Colour	Reference Report
JL-49	250 V (Rough Use - BS 1363/A)	Any colour	7340091/2, 7532859, 7701609, 8071533 & GJW2022-2545BSI (3539759).

Cord fitted: the following cord is satisfactory for incorporation with the variants of Group 1b and is subject to the continuing validity of its approval.

Standard	Size (mm ²)	Code	Manufacturer	Approval	Rating
EN 50525-2-11	2 x 0.75	H03VVH2-F	Xuanshi	VDE 40011761	6 A
EN 50525-2-11	2 x 0.75	H05VVH2-F	Xuanshi	VDE 40011761	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	Xuanshi	VDE 40011761	6 A / 10 A ^{See note 1}
EN 50525-2-11	2 x 0.75	H03VV-F	Xuanshi	VDE 40011761	6 A
EN 50525-2-11	2 x 0.5	H03VVH2-F	Xuanshi	VDE 40011761	03 A
EN 50525-2-21	2 x 1	H07RN-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-11	2 x 1	H05VV-F	Xuanshi	VDE 40011761	10 A
EN 50525-2-21	2 x 1	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-21	2 x 1	H05RN-F	Xuanshi	VDE 40017772, TUV 50486124	10 A
EN 50525-2-21	2 x 0.75	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	6 A
EN 50525-2-21	2 x 0.75	H05RN-F	Xuanshi	VDE 40017772, TUV 50486124	6 A
EN 50525-2-11	2 x 1.25	H05VV-F	Xuanshi	VDE 40011761	13 A

Note 1: indicated 0.75 mm² cables may be rated 10 A for lengths of 2 metres or less.

First Issued: 2010-10-25

Latest Issue: 2023-03-28

Effective Date: 2023-03-28

Expiry Date: 2024-08-12

Page: 4 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 548251

Group 2 - Rewireable plugs to BS 1363-1:2016 + A1:2018			
Type	Rating	Material / Colour	Reference Report
JL-50	250 V (Normal Use)	Urea / Black or White	7340091/1, 7509842 & 8071533.
JL-50-1	250 V (Normal Use)	PC / Black or White	7340091/1, 7509842, 7701608 & 8071533.



First Issued: 2010-10-25
Latest Issue: 2023-03-28

Effective Date: 2023-03-28
Expiry Date: 2024-08-12

Page: 5 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 548251

Group 3 - Non-rewireable plugs to BS 1363-1:2016 + A1:2018			
Type	Rating	Colour	Reference Report
JL-49A	250 V (Rough Use - BS 1363/A)	Any colour	GJW2022-2827BSI (3483252), GJW2022-2492BSI (3496210), GJW2022-9367BSI (3790526) & GJW2023-0438BSI (3849966).

Cord fitted: the following cord is satisfactory for incorporation with the variants of Group 3 and is subject to the continuing validity of its approval.

Standard	Size (mm ²)	Code	Manufacturer	Approval	Rating
EN 50525-2-11	3 x 1	H05VV-F	Xuanshi	VDE 40011761	10 A / 13 A ^{See note 1}
EN 50525-2-11	3 x 0.75	H05VV-F	Xuanshi	VDE 40011761	6 A / 10 A ^{See note 2}
EN 50525-2-11	2 x 0.75	H03VVH2-F	Xuanshi	VDE 40011761	6 A / 10 A ^{See note 2}
EN 50525-2-11	2 x 0.75	H05VV-F	Xuanshi	VDE 40011761	6 A / 10 A ^{See note 2}
EN 50525-2-21	3 x 1	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	10 A / 13 A ^{See note 1}
EN 50525-2-21	3 x 0.75	H05RR-F	Xuanshi	VDE 40017772, TUV 50486124	6 A / 10 A ^{See note 2}
EN 50525-2-11	2 x 0.75	H05VVH2-F	Xuanshi	VDE 40011761	6 A / 10 A ^{See note 2}
EN 50525-2-21	3 x 1.25	H05VV-F	Xuanshi	VDE 40011761	13 A
EN 50525-2-11	2 x 1.25	H05VV-F	Xuanshi	VDE 40011761	13 A

Note 1: indicated 1 mm² cables may be rated 13 A for lengths of 2 metres or less.

Note 2: indicated 0.75 mm² cables may be rated 10 A for lengths of 2 metres or less.

Plugs listed on this licence may be fitted with BS 1362 fuse-links from the following manufacturers:

Manufacturer	BS 1362 certification	Fuse link ratings (A)	Brand
Ningbo Weiyun Electronic Co Ltd	ASTA licence 854	3, 5, 7, 10 and 13	SAFE
Dongguan Cooper Electronics Co Ltd	ASTA licence 658	3, 5, 7, 10 and 13	TDC 180
Dongguan Ubill Electronic Co Ltd	ASTA licence 1204	3, 5, 7, 10 and 13	UBL8808

First Issued: 2010-10-25

Latest Issue: 2023-03-28

Effective Date: 2023-03-28

Expiry Date: 2024-08-12

Page: 6 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).